

ZOÉ NEW

PERFECT APPLICATION,
AND A NICE FEEL UNDERFOOT,
ORGANIC EASY CLEANING.



ströher[®]
Clinker. Ceramics. Competence.


ZOÉ **NEW**

25 Frost resistance
25 years guarantee*



COMFORT CONCEPT. MINIMALIST DESIGN. QUICK TO LAY.

FORMATS




8031, 30 x 30 cm
R 10



8045, 30 x 45 cm
R 10

COLOURS



970 grey



971 greige



972 taupe



973 anthracite

ZOÉ



SOPHISTICATED SCREED LOOK WITH PERFECT APPLICATION AND A MOULDING-CONCEPT.

Zoé demonstrates its true capabilities when firmly laid with matching ceramic stairs and edges. We call it the “comfort concept”. This perfect application is also really easy to achieve with the quick-laying 30 x 30 or 30 x 45 format. Yet it also offers a prestigious look and a nice feel underfoot. And it is completely organic – no impregnation, no time-consuming maintenance with aggressive chemicals, blowtorches, pressure washers or acrobatic scraping of the pointing. Just water and a cloth are enough. This leaves more time for relaxing. And with ceramic tiles, barbecues are no problem. Zoe provides minimalist design with a sophisticated screed look in four colours and a matching loft moulding range.



PERFECT APPLICATION.
AND A NICE FEEL
UNDERFOOT.
ORGANIC EASY CLEANING.

ZOÉ NEW

COMFORT CONCEPT. MINIMALIST DESIGN. QUICK TO LAY.

TRIM PIECES



9441 loft stair tread corner®
340 x 340 x 35 x 11 mm, calibrated



9430 loft stair tread tile®
294 x 340 x 35 x 11 mm, calibrated



4815 loft angle tile®
294 x 175 x 52 x 10 mm, calibrated



8102 skirting
294 x 73 x 8 mm



9010 riser corner
157 x 52 x 52 x 10 mm, calibrated



Completely frost-resistant
*25 year guarantee



Strohler
hard glaze



Variety of
trim pieces



Fade-free
and colourfast



Easy maintenance
and hygienic



PEI 5
Abrasion resistant



Anti-slip



In compliance
with DIN EN



Variety of
accessories



Ecofriendly



Resistant to
chemicals



Glow-resistant
and fireproof



Anti-static

KERAPLATTE®

25 Frost resistance
25 years guarantee*



THE CERAMIC CONCEPT FROM OUTDOORS TO INDOORS.

COARSE CERAMICS, COMBINING ANGLE TILE WITH STAIR TREAD TILE, WITH THE INNOVATIVE SPIRIT AND THE CONVENIENCES OF A MARKET LEADER.

Diverse moulded parts, frostproof and fully decorated edge. Perfect utilization fulfilment for surfaces, stair tread tiles and edge pieces. From the classic split tile to oversize elements and innovative balcony edgings. Showing edges with matured ceramic solutions. The new Florentine generation. Modern, reduced linearity: loft stair tread and loft angle tile. The original.



175 mm angle tile depth for a fuller overall visual impression and even more reliable handling.

Ideal adhesive properties through extruded ceramics on rear surface.

STRÖHER hard-glaze for optimal step security and easy of cleaning.

Frostproof with 25 year guarantee.*

Maximum colour stability, matching with flat elements.

Modern, reduced loft design.

10 mm material thickness, calibrated.

Completely decorated angle tile edge.

52 mm angle tile height with 'integrated drip edge'.

ströher®

Clinker. Ceramics. Competence.



Ströher GmbH · Ströherstraße 2-10 · 35683 Dillenburg
T. +49 2771 391-0 · F. +49 2771 391-340 · info@stroehrer.de · www.stroehrer.de

DIE
STRÖHER
GRUPPE
SIGNATURE
CERAMICS
AND CLINKER.